BRANCH AVENUE - MXT Woodlands


Type 2 Tree Conservation Plan

ELECTION DISTRICT No. 11 BRANDYWINE PRINCE GEORGE'S COUNTY, MARYLAND

| | Specimen Tree Table | | | | | | |
|-------|---------------------|-------------------------|-----------------|---------------------|-----------------------|-------------|------------------------|
| No. | Common Name | Botanical Name | Dbh (Inches) | Condition Rating | Condition Comments | Disposition | TCP2 Sheet Location |
| ST-1 | Tulip Poplar | Liriodendron tulipifera | 30 | Good | - | Remove | 3 |
| ST-2 | White Oak | Quercus alba | 33 | Good | - | Remove | 3 |
| ST-3* | White Oak | Quercus alba | 35 | Dead | - | N/A | 8 |
| ST-4 | Tulip Poplar | Liriodendron tulipifera | 37 | Fair | Twin | Retain | 7 |
| ST-5 | Red Oak | Quercus rubra | 30 | Fair | - | Retain | 7 |
| ST-6 | Tulip Poplar | Liriodendron tulipifera | 30 | Fair | - | Retain | 8 |
| ST-7 | White Oak | Quercus alba | 40 | Poor | Epicormic Branching | Retain | 3 |
| ST-8 | American Beech | Fagus grandifolia | 45 | Good | - | Remove | 5 |

*ST-3 was found to be dead during a site visit 4/5/2022

This plan is in accordance with the following variance from the strict requirements of Subtitle 25 approved by the Planning Board on (10/03/19): The removal of three specimen trees (Section 25-122(b)(1)(G), ST-1, a 30-inch Tulip Poplar, ST-2, a 33-inch White Oak, and ST-8, a 42-inch American Beech. ST-5, a 30 Red Oak has been retained during the design refinement from Preliminary Plan to Detailed



Type 2 TCP NOTES:

- 1. This plan is submitted to fulfill the woodland conservation requirements for DSP-19004. If DSP-19004 expires, then this TCP2 also expires and is no longer valid.
- 2. Cutting or clearing of woodland not in conformance with this plan or without the expressed written consent of the Planning Director or designee shall be subject to a \$9.00 per square foot mitigation fee. 3. A pre-construction meeting is required prior to the issuance of grading permits. The Department of Public
- Works and Transportation or the Department of Environmental Resources, as appropriate, shall be contacted prior to the start of any work on the site to conduct a pre-construction meeting where implementation of woodland conservation measures shown on this plan will be discussed in detail. The developer or builder of the lots or parcels shown on this plan shall notify future buyers of any woodland conservation areas through the provision of a copy of this plan at time of contract signing. Future property
- owners are also subject to this requirement. The owners of the property subject to this tree conservation plan are solely responsible for conformance to
- the requirements contained herein. The property is within the Developing Tier and is zoned M-X-T(Mixed Use Transportation Oriented)
- The property is adjacent to Brandywine Road (MD 381), which is designated as a historic roadway. The property is adjacent to Branch Avenue (MD 5), which is classified as an arterial roadway.
- 9. This plan is not grandfathered under CB-27-2010, Section 25-117 (g). 10. Woodlands preserved, planted, or regenerated in fulfillment of woodland conservation requirements on-site have been placed in a woodland and wildlife habitat conservation easements recorded in the Prince

George's County Land Records at Liber 45910 Folio 321. Revisions to this TCP2 may require a revision to

| PARK AND PLA | -NATIONAL CAPIT NNING COMMISSIO CIAL USE ONLY | |
|-----------------|----------------------------------------------------------|-----------|
| APPLICATION NA | ME: BRANCH AVE | NUE M-X-T |
| APPLICATION NO | .: DSP-19004-01 | |
| TCP NO.: TCP2-0 | 36-2020-02 | |
| | ROVAL OF THIS PL ITH PLANNING DIF D JULY 29, 2022. | |
| JIII KO | | |

AUTHORIZED SIGNATURE

the recorded easement.

| | Woodland Conservation Summary Table | | | | | | | | | |
|-------|-------------------------------------|---------------------------------|-------------------|-------------------------|--------------------------|---------------------------------------------|---------------------------------------------|-------------------------------------------|----------------------------------------|-----------------------------------------------------|
| Sheet | Gross Tract Area | 100-year Year Flood Plain | Net Tract Area | Ex. Woodland (FP) | Ex. Woodland (NTA) | Woodland Cleared Net-Tract (C-NTA) | Woodland Cleared Floodplain (C-FP) | Woodland Cleared Off-site (C-OS) | Woodland Preserved Area (WPA) | Woodland Retained/ Not Credited (WR-NC) |
| 1 | 6.45 | - | 6.45 | - | 6.45 | 5.26 | - | - | 1.17 | |
| 2 | 7.00 | - | 7.00 | - | 7.00 | 6.99 | - | - | 1 | - |
| 3 | 10.55 | - | 10.55 | - | 10.55 | 9.59 | - | - | 0.86 | 0.10 |
| 4 | 8.00 | - | 8.00 | - | 8.00 | 6.03 | - | 0.01 | 1.69 | 0.26 |
| 5 | 9.13 | - | 9.13 | - | 9.13 | 8.22 | - | - | 0.49 | 0.42 |
| 6 | 7.17 | 1.89 | 5.28 | 1.89 | 5.28 | 1.75 | 0.01 | - | 3.57 | 0.00 |
| 7 | 1.94 | 0.10 | 1.84 | 0.10 | 1.84 | - | - | - | 1.85 | - |
| 8 | 3.50 | - | 3.50 | - | 3.50 | 1.09 | - | - | 2.41 | - |
| Total | 53.74 | 1.99 | 51.75 | 1.99 | 51.75 | 38.93 | 0.01 | 0.01 | 12.04 | 0.78 |

| | | | oodland | 20 |
|--------------|-----------------|-------|---------|----|
| Woodlan | d Preserved | | tention | |
| Not c | redited | | Areas | _ |
| WP-NC-1 | 0.06 | WPA-1 | 1.00 | |
| WP-NC-2 | 0.47 | WPA-2 | 1.55 | _ |
| WP-NC-3 | 0.15 | WPA-3 | 0.63 | |
| WP-NC-4 | 0.10 | WPA-4 | 1.17 | |
| TOTAL | 0.78 | WPA-5 | 7.66 | |
| l . | | WPA-6 | 0.03 | |
| | | | 12.04 | |
| | | TOTAL | 12.04 | |
| Clea | ared-FP | | 12.04 | J |
| Clea C-FP | ared-FP 0.01 | | | |
| | | Clo | eared | |

Stanley Martin Homes, LLC

| Site Statistics | Total |
|-----------------------------------------------|----------|
| Gross Tract Area | 72.20 AC |
| Existing 100-year floodplain | 2.97 AC |
| Net tract area | 69.23 AC |
| Existing woodland in the floodplain | 2.97 AC |
| Existing woodland net tract | 69.23 AC |
| Existing woodland total | 72.20 AC |
| Existing PMA | 14.56 AC |
| Regulated streams (linear feet of centerline) | 2,923 LF |
| Riparian (wooded) buffer up to 300 feet wide | 31.02 AC |

| EX. | LOT LINE |
|-----|------------------|
| EX. | ESMT |
| EX. | BLDG |
| EX. | SIDEWALK |
| EX. | PARKING STRIPING |
| EX. | 10' CONTOUR LINE |
| EX. | 2' CONTOUR LINE |
| EX. | TREES |

EX. PRIMARY MGMT AREA/

PR. FACE OF CURB PR. BACK OF CURB PR. ROAD PAVEMENT - PR. SEWER

PR. WATER

PR. STORM DRAIN ---- PR. EASEMENT PR. WOOD FENCE

SPECIMEN TREE TO BE REMOVED

WOODLAND CLEARED (WCA) WOODLAND PRESERVATION (WPA) WOODLAND PRESERVATION -NOT CREDITED (WP-NC) WOODLAND CLEARED OFF-SITE WOODLAND CLEARED - FLOODPLAIN

REQUIRED LOT DEPTH

PERMANENT TREE PROTECTION FENCE -TF-----TF------TEMPORARY TREE PROTECTION FENCE

WOODLAND PRESERVATION SIGN WOODLAND PRESERVATION AREA WOODLAND PRESERVATION - NOT CREDITED AREA

| Map Unit Symbol | Map Unit Name | K-Factor | Hydric Rating | Hydrologic soil group | Drainage Cl |
|--------------------|----------------------------------------------|----------|------------------|--------------------------|-------------------------|
| BaA | Beltville silt loam (0-2%)* | - | No | С | Moderately v |
| BaB | Beltville silt loam (2-5%)*, ** | 50 | No | С | Moderately v drained |
| BuB | Beltville urban land complex (0-5%) | - | No | С | Moderately w drained |
| CwD | Croom-Marr complex, 10-15% slope | 50 | No | С | Well drained |
| CwE | Croom-Marr complex 15-25% slope | 50 | No | С | Well drained |
| CwG | Croom-Marr complex 25-60% slope | 50 | No | С | Well drained |
| SaB | Sassafras sandy loam, 0-2% slope* | 50 | No | В | Well drained |
| SnB | Sassafrass urban land complex 0-5% slope | - | No | В | Well drained |
| UdaF | Udorthents, highway 0-65% slope | >15% | No | NA | Well drained |
| UdgB | Udorthents, reclaimed gravel pits 0-5% slope | 50 | No | С | Well drained |
| | Widewater and issue soils. | | | | |

| | Prince George's County Planning Department, M-NCPPC |
|---|-----------------------------------------------------|
| | Environmental Planning Section |
| 1 | YPE 2 TREE CONSERVATION PLAN APPROVAL |
| | TCP2 - 036 - 2020 |

| | | TCP2 - 036 | o - 2020 | |
|----|-----------------|------------|--------------|---------------------|
| | Approved by | Date | DRD# | Reason for Revision |
| 00 | Chuck Schneider | 3/18/2021 | DSP-20014 | PHASE 1 |
| 01 | Chuck Schneider | 7/21/2021 | DSP-19004 | PHASE 2 |
| 02 | Oug Sonder | 7/20/2022 | DSP-19004-01 | |
| 03 | | | | |
| 04 | | | | |
| 05 | | | | |



"I HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED THAT I AM A DULY LICENSED PROFESSIONAL LANDSCAPE ARCHITECT UNDER THE LAWS

| DEM CLON | DATE | DEVICION | DATE | DEMICION |
|----------------------------|---------|----------|------|----------|
| REVISION | DATE | REVISION | DATE | REVISION |
| Nonwoody buffer for SGWs | 4/29/22 | | | |
| Addressing MNCPPC comments | 5/25/22 | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Owner/Developer:

Stanley Martin Companies, LLC 6404 Ivy Ln, #600 Greenbelt MD 20770 Contact: Brandon Gurney GurneyBJ@stanleymartin.com Ph. (301) 636-6111

BRANCH AVENUE MXT

11th Election District Tax Map 134, Parcel 90 Prince George's County, Maryland L.217161 F.26




Area covered under

DSP-20014


| | BY | DATE | | | | |
|-----------------|----|------|--|--|--|--|
| ASE DATA | | | | | | |
| ESIGNED | | | | | | |
| RAWN | | | | | | |
| EVIEWED | | | | | | |
| ODGERS CONTACT: | | | | | | |
| RELEASE FOR | | | | | | |

___ DATE ___


TYPE 2 TREE CONSERVATION PLAN



WPA-4 1.17 Ac



MATCHLINE SEE PAGE 2



BRANCH AVENUE MXT

11th Election District Tax Map 134, Parcel 90 Prince George's County, Maryland L.217161 F.26



EVIEWED ODGERS CONTACT: RELEASE FOR

APPLICATION NO.: DSP-19004-01

SIGNATURE APPROVAL DATE:

SIGNATURE APPROVAL OF THIS PLAN IS IN ACCORDANCE WITH PLANNING DIRECTOR APPROVAL DATED JULY 29, 2022.

Jill Kosack Date: 2022.07.29


14:33:37 -04'00'

TCP NO.: TCP2-036-2020-02

TYPE 2 TREE CONSERVATION PLAN


Chuck Schneider

Chuck Schneider



TCP2 KEY

| LEGEND: | |
|------------------------------------------------------------------------------------------------------------|-----------------------------------|
| | EX. BOUNDARY LINE |
| | EX. LOT LINE |
| | EX. ESMT |
| | EX. BLDG |
| | EX. SIDEWALK |
| | EX. PARKING STRIPING |
| | EX. 10' CONTOUR LINE |
| | EX. 2' CONTOUR LINE |
| | EX. TREES |
| | EX. WATER |
| | EX. SEWER |
| | EX. STORM DRAIN |
| 1A7 | EX. WETLAND |
| PMA/SB PMA/SB | EX. WETLAND BUFFER |
| FINIAGE | EX. PRIMARY MGMT AREA/ |
| | STREAM BUFFER |
| SB | STREAM BUFFER |
| | EX. STREAM |
| PMA/FP PMA/FP | EX. FLOODPLAIN |
| | EX. PRIMARY MGMT AREA/ |
| | FLOODPLAIN |
| FP BRL | EX. FLOODPLAIN BRL |
| | EX.POND |
| - $ -$ | EX. UNMITIGATED 65 DB LINE |
| LOD | PR. LIMIT OF DISTURBANCE |
| | PR. R.O.W. |
| | PR. LOT LINE |
| | PR. BLDG |
| 교회자는 하 하실(1914년 기존 : 1914년 1일 | PR. SIDEWALK PR. PARKING STRIPING |
| | PR. FACE OF CURB |
| | PR. BACK OF CURB |
| | PR. ROAD PAVEMENT |
| | PR. SEWER |
| | PR. WATER |
| | PR. STORM DRAIN |
| | PR. PUE |
| | PR. EASEMENT |
| | PR. WOOD FENCE |
| | PR. ORNAMENTAL FENCE |
| | REQUIRED LOT DEPTH |
| | |
| | |
| | |
| | SPECIMEN TREE TO BE REMOVED |
| ` | |
| | |
| | WOODLAND CLEARED (WCA) |
| | , , |
| | WOODLAND PRESERVATION (WPA) |
| | WOODLAND PRESERVATION - |
| | NOT CREDITED (WP-NC) |
| | WOODLAND CLEARED OFF-SITE |
| | WOODI AND CLEARED - ELOODELAIN |



Prince George's County Planning Department, M-NCPPC

TYPE 2 TREE CONSERVATION PLAN APPROVAL

DSP-20014

DSP-19004

DSP-19004-01

TCP2 - 036 - 2020

7/21/2021

7/20/2022


WOODLAND PRESERVATION SIGN WOODLAND PRESERVATION AREA


WOODLAND PRESERVATION - NOT CREDITED AREA

PHASE 1

PHASE 2

LICENSE NO. 3845 EXPIRATION DATE: 10/16/23 Reason for Revision





GurneyBJ@stanleymartin.com
Ph. (301) 636-6111 N:\MD—Prince Georges\Branch Ave MXT\autocad\Plot Plans\Environmental\TCP—2\TCP2_Sheets.dwg TCP2—1 Jul 20, 2022, 12:25pm

Nonwoody buffer for SGWs


ddressing MNCPPC comments


Owner/Developer:

Stanley Martin Companies, LLC

Contact: Brandon Gurney

6404 Ivy Ln, #600 Greenbelt MD 20770





TCP2 KEY

LEGEND: - ---- EX. LOT LINE EX. ESMT EX. BLDG EX. SIDEWALK EX. PARKING STRIPING EX. 10' CONTOUR LINE EX. 2' CONTOUR LINE EX. TREES EX. WATER EX. SEWER EX. STORM DRAIN EX. WETLAND EX. WETLAND BUFFER STREAM BUFFER STREAM BUFFER EX. STREAM EX. FLOODPLAIN EX. PRIMARY MGMT AREA/ FLOODPLAIN EX. FLOODPLAIN BRL **EX.POND**

PR. R.O.W.
PR. LOT LINE
PR. BLDG
PR. SIDEWALK
PR. PARKING STRIPING
PR. FACE OF CURB
PR. BACK OF CURB
PR. ROAD PAVEMENT

EX. UNMITIGATED 65 DB LINE PR. LIMIT OF DISTURBANCE

PR. ROAD PAVEME
PR. SEWER
PR. WATER
PR. STORM DRAIN
PR. PUE
PR. EASEMENT

PR. EASEMENT
PR. WOOD FENCE
PR. ORNAMENTAL FENCE
REQUIRED LOT DEPTH

SPECIMEN TREE TO BE REMOVED

PPF — TPF — TPF

WOODLAND PRESERVATION (WPA)
WOODLAND PRESERVATION NOT CREDITED (WP-NC)
WOODLAND CLEARED OFF-SITE
WOODLAND CLEARED - FLOODPLAIN
(WC-FP)
PERMANENT TREE PROTECTION FENCE

WOODLAND CLEARED (WCA)

TEMPORARY TREE PROTECTION FENCE
WOODLAND PRESERVATION SIGN

WOODLAND PRESERVATION AREA
WOODLAND PRESERVATION - NOT
CREDITED AREA

PROFESSIONAL CERTIFICATION

"I HEREBY CERTIFY THAT THESE

DOCUMENTS WERE PREPARED OR APPROVED BY ME, AND


THAT I AM A DULY LICENSED PROFESSIONAL LANDSCAPE

ARCHITECT UNDER THE LAWS

OF THE STATE OF MARYLAND."

Prince George's County Planning Department, M-NCPPC
Environmental Planning Section
TYPE 2 TREE CONSERVATION PLAN APPROVAL
TCP2 - 036 - 2020

| | Approved by | Date | DRD# | Reason for Rev |
|----|-----------------|-----------|--------------|----------------|
| 00 | Chuck Schneider | 3/18/2021 | DSP-20014 | PHASE 1 |
|)1 | Chuck Schneider | 7/21/2021 | DSP-19004 | PHASE 2 |
|)2 | Ouch Souder | 7/20/2022 | DSP-19004-01 | |
|)3 | | | | |
|)4 | | | | |
| | | | | |



REVISION DATE REVISION DATE REVISION DATE REVISION DATE REVISION DATE Owner/Developer:

Nonwoody buffer for SGWs 4/29/22 Stanley Martin Companies, LLC 6404 Ivy Ln, #600 Greenbelt MD 20770 Contact: Brandon Gurney GurneyBJ@stanleymartin.com Ph. (301) 636-6111


N:\MD-Prince Georges\Branch Ave MXT\autocad\Plot Plans\Environmental\TCP-2\TCP2_Sheets.dwg TCP2-2 Jul 20, 2022, 12:25pm

BRANCH AVENUE MXT

1 INCH = 30 FT

11th Election District
Tax Map 134, Parcel 90
Prince George's County, Maryland
L.217161 F.26





THE MARYLAND-NATIONAL CAPITAL PARK AND PLANNING COMMISSION FOR OFFICIAL USE ONLY

APPLICATION NO.: DSP-19004-01

IGNATURE APPROVAL DATE:

TCP NO.: TCP2-038-2020-02

APPLICATION NAME: BRANCH AVENUE M-X-T

SIGNATURE APPROVAL OF THIS PLAN IS IN ACCORDANCE WITH PLANNING DIRECTOR APPROVAL DATED JULY 29, 2022.

Jill Kosack Date: 2022.07.29

AUTHORIZED SIGNATURE

TYPE 2
TREE CONSERVATION PLAN

06/01/2022

SCALE:

1" = 30'

JOB No.


1225A1


DATE:


December 2021

SHEET No.


3 OF 10









N:\MD-Prince Georges\Branch Ave MXT\autocad\Plot Plans\Environmental\TCP-2\TCP2_Sheets.dwg TCP2-5 Jul 20, 2022, 12:26pm







L.217161 F.26

N:\MD-Prince Georges\Branch Ave MXT\autocad\Plot Plans\Environmental\TCP-2\TCP2_Sheets.dwg TCP2-8 Jul 20, 2022, 12:26pm

December 2021

_ DATE _

Tree Preservation and Retention Notes All woodlands designated on this plan for preservation are the responsibility of the property owner. The woodland areas shall remain in a natural state. This includes the canopy trees and understory vegetation. A

be cleared on the approved TCP2. Tree and woodland conservation methods such as root pruning shall be conducted as noted on this plan. The location of all temporary tree protection fencing (TPFs) shown on this plan shall be flagged or staked in the field prior to the pre-construction meeting. Upon approval of the locations by the county inspector, installation

revised tree conservation plan is required prior to clearing woodland areas that are not specifically identified to

August 2010

All temporary tree protection fencing required by this plan shall be installed prior to commencement of clearing and grading of the site and shall remain in place until the bond is released for the project. Failure to install and maintain temporary or permanent tree protective devices is a violation of this TCP2.

Woodland preservation areas shall be posted with signage as shown on the plans at the same time as the temporary TPF installation. These signs must remain in perpetuity.

Removal of Hazardous Trees or Limbs by Developers or Builders

6. The developer and/or builder is responsible for the complete preservation of all forested areas shown on the approved plan to remain undisturbed. Only trees or parts thereof designated by the county as dead, dying, or hazardous, may be removed.

7. A tree is considered hazardous if a condition is present which leads a Certified Arborist or Licensed Tree Expert to believe that the tree or a portion of the tree has a potential to fall and strike a structure, parking area, or other high use area and result in personal injury or property damage.


During the initial stages of clearing and grading, if hazardous trees are present, or trees are present that are not hazardous but are leaning into the disturbed area, the permitee shall remove said trees using a chain saw. Corrective measures required the removal of the hazardous tree or portions thereof shall require authorization by the county inspector. Only after approval by the inspector may the tree be cut by chainsaw to near the existing ground level. The stump shall not be removed or covered with soul, mulch, or other materials that would inhibit sprouting

If a tree or trees become hazardous prior to bond release for the project, due to storm events or other situations not resulting from an action by the permitee, prior to removal, a Certified Arborist or a Licensed Tree Expert must certify that the tree or the portion of the tree in question has a potential to fall and strike a structure, parking area, or other high use area and may result in personal injury or property damage. If a tree or portions thereof are in imminent danger of striking a structure, parking area, or other high use area and may result in personal injury or property damage then the certification is not required and the permitee shall take corrective action immediately. The condition of the area shall be fully documented through photographs prior to corrective action being taken. The photos shall be submitted to the inspector for documentation of the

10. If corrective pruning may alleviate a hazardous condition, the Certified Arborist or a Licensed Tree Expert may proceed without further authorization. The pruning must be done in accordance with the latest edition of the appropriate ANSI A-300 Pruning Standards. The condition of the area shall be fully documented through photographs prior to corrective action being taken. The photos shall be submitted to the inspector for documentation of the damage.

11. Debris from the tree removal or pruning that occurs within 35 feet of the woodland edge may be removed and properly disposed of by recycling, chipping or other acceptable methods. All debris that is more than 35 feet from the woodland edge shall be cut up to allow contact with the ground, thus encouraging decomposition. The smaller materials shall be placed into brush piles that will serve as wildlife habitat.

12. Tree work to be completed within a road right-of-way requires a permit from the Maryland Department of Natural Resources unless the tree removal is shown within the approved limits of disturbance on a TCP2. The work is required to be conducted by a Licensed Tree Expert.



A-4, DET-1

1. If the developer or builder no longer has an interest in the property and the new owner desires to remove a hazardous tree or portion thereof, the new owner shall obtain a written statement from a Certified Arborist or Licensed Tree Expert identifying the hazardous condition and the proposed corrective measures prior to having the work conducted. After proper documentation has been completed per the handout "Guidance for Prince George's County Property Owners, Preservation of Woodland Conservation Areas", the arborist or tree expert may then remove the tree. The stump shall be cut as close to the ground as possible and left in place. The removal or grinding of the stumps in the woodland conservation area is not permitted.


2. If a tree or portions thereof are in imminent danger of striking a structure, parking area, or other high use area and may result in personal injury or property damage then the certification is not required and the permitee shall take corrective action immediately. The condition of the area shall be fully documented through photographs prior to corrective action being taken. The photos shall be submitted to the inspector for documentation of the damage.


3. Tree work to be completed within a road right-of-way requires a permit from the Maryland Department of Natural Resources unless the tree removal is shown within the approved limits of disturbance on a TCP2. The work is required to be conducted by a Licensed Tree Expert.

4. The removal of noxious, invasive, and non-native plant species from any woodland preservation area shall be done with the use of hand-held equipment only (pruners or a chain saw). These plants may be cut near the ground and material less than two inches diameter may be removed from the area and disposed of appropriately. All material from these noxious, invasive, and non-native plants greater than two (2) inches diameter shall be cut to allow contact with the ground, thus encouraging decomposition.


5. The use of broadcast spraying of herbicides is not permitted. However, the use of herbicides to discourage re-sprouting of invasive, noxious, or non-native plants is permitted if done as an application of the chemical directly to the cut stump immediately following cutting of plant tops. The use of any herbicide shall be done in accordance with the label instructions.

6. The use of chainsaws is extremely dangerous and should not be conducted with poorly maintained equipment, without safety equipment, or by individuals not trained in the use of this equipment for the pruning and/or









PROFESSIONAL CERTIFICATION "I HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME, AND THAT I AM A DULY LICENSED PROFESSIONAL LANDSCAPE ARCHITECT UNDER THE LAWS OF THE STATE OF MARYLAND." LICENSE NO. 3845 EXPIRATION DATE: 10/16/23

SIGNED RAWN

VIEWED

DDGERS CONTACT:

RELEASE FOR

_ DATE _

TYPE 2 TREE CONSERVATION PLAN NOTES & DETAILS

1225A1 December 202

HEET No. 10of 10

Jonwoody buffer for SGWs ddressing MNCPPC comments

Owner/Developer:

Stanley Martin Companies, LLC 6404 Ivy Ln, #600 Greenbelt MD 20770 Contact: Brandon Gurney GurneyBJ@stanleymartin.com Ph. (301) 636-6111

BRANCH AVENUE MXT

11th Election District Tax Map 134, Parcel 90 Prince George's County, Maryland